



Installation Guide

Product Version: 5.5s.0

Table of Contents

Package Contents & Setup	
Setup Database3	
Configure & Setup files4	ļ
Deployment	5
Thank You	

Package Contents & Setup

Files & Directories in Download Package

In the downloaded Zip file, you will find below files & folders.

- Source a folder containing all the required files you need to deploy on to the server.
- cred.txt a file containing admin email & password which you can change later.
- schema-data.sql a file containing database structure & initial data to get started.
- Setup-Guide.pdf an Instruction manual for setup service.
- Installation-Guide.pdf Basic Installation help document (This Document).
- Technical-Guide.pdf Technical information may help for further customizations.

Now you need to copy all the source folder files to your web server where you want it to access / host.

Please note your public folder need to be your document root.

Setup Database

Follow the below steps to setup database.

- Create a database using your choice of tool for the demonstration purposes we have used phpmyadmin if you are doing it on shared hosting database creation method may vary you may also need to create & assign user to it.
- Once database is created, say sample_database
- Then you need to click on sample_database database from left sidebar
- go to the phpMyAdmin and click on SQL tab.
- Open schema-data.sql in any text editor.
- Copy the content of the file & paste it into selected SQL tab OR import it.
 IMPORTANT: SQL File is big as it contains the static city data, you may need to increase upload size/memory limit for phpmyadmin etc. to import it.

Or you can import this file.

←	Server:	: localh	ost:3306	» 🍵 Database	e: sample_datat	case			
k	Structur	e [SQL	Search	Query	📑 Export	🖶 Import	Øperations	Privileges
	Run SQI	auer	/aueries	s on database	sample datab	ase: 🔊			
	1935 (1936 (4, '92 5, '16	lf3d4e-d eb12bc-0	749-4b45-a46d 18b-437f-a54b	-45952ac45ea2' -6461da82bfaf'	, CURRENT_TIMES , CURRENT_TIMES	STAMP, CURRENT	TIMESTAMP, 'Regist TIMESTAMP, 'Contac	er', 3, 1, NULL, t', 3, 1, NULL,
	1937 (1938 (6, '7c: 7, 'cc!	E5099f-7 972d6f-7	116-4723-8c70 7ed-437f-ab1c	-1952c25f198d' -37be42d4ef5b'	, CURRENT_TIMES , CURRENT_TIMES	STAMP, CURRENT STAMP, CURRENT	TIMESTAMP, 'Blog', TIMESTAMP, 'New Su	3, 1, NULL, '{"v pport Ticket', 3,
	1939 (1940 ({ value 8, '2de 9. 'ea:	e ⁻ : supp e52cb0-d 30e26e-b	ort_ticket.ma bc3-4a35-b570 d6d-4d0a-8e88	ke.request","t -d946383e576a' -a8692df32565'	<pre>ype":self", 'f , CURRENT_TIMES . CURRENT TIMES</pre>	STAMP CURRENT	, 1, 1), _TIMESTAMP, 'FAQ', TIMESTAMP, 'Articl	3, 1, NULL, '{"va es', 3, 1, NULL,
	Clear		Format	Get au	to-saved quer	· · · · · · · · · · · · · · · · · · ·			
	Bind pa	aramet	ers 😡						
			. 🔽 🖇	Show this quer	v here again	Retain query	box 🗆 Rollba	ck when finished 🏾 🗖	Enable foreign ke
	[Delimiter	;]		,				5

and click on go button, to execute the queries.

• If everything goes fine, there should not be any errors & your database setup is now completed.

Configure & Setup files

Now go to Source folder & open .env file in to text/code editor.

- Default APP_KEY provided works fine but if you want to change you can do it using Laravel Artisan command.
- Now you need assign values for Database Configuration values so the application can connect to database.

- 1 APP_NAME="project-name"
- 2 # Use 'production' for live uses
- 3 APP_ENV=local
- 4 # Set to true for debugging
- 5 APP_DEBUG=false
- 6 # application key
- 7 APP_KEY=base64:ZeeE0XG3/jMo0/C6m3e8fl2GkndivS7pAsQUMupqxuw=
- 8 # Database Host
- 9 DB_HOST=localhost
- 10 # Database Name
- 11 DB_DATABASE=project_database
- 12 # Database Username
- 13 DB_USERNAME=root
- 14 # Database Password
- 15 DB_PASSWORD=
- 16 # Mail Configuration
- 17 MAIL_DRIVER=mail
- 18 MAIL_HOST=smtp.mailtrap.io
- 19 MAIL_PORT=2525
- 20 MAIL_USERNAME=null
- 21 MAIL_PASSWORD=null
- 22 MAIL_ENCRYPTION=null
 - DB_HOST your database host in most cases its *localhost*
 - DB_DATABASE your database *name*.
 - DB_USERNAME your database *username*.
 - DB_PASSWORD your database *password*.

Mail configuration can be done using the settings under this head. More information <u>https://laravel.com/docs/10.x/mail</u>

Deployment

If everything goes fine you are now ready to deploy it, now you need to copy all the source folder files to your web server. where you want it to access / host.

If you done above steps carefully and for example If you placed this in root of your domain, and configured your server to point webroot to public folder then you should access following page by pointing your browsers address bar to *http://yourdomain.com* or you need to access it like *http://yourdomain.com/public*

Note: If you are on shared hosting and unable to point your server domain to the public folder and you want to remove **public** from your URL, please see FAQ section of technical guide.

Important Notes:

- If some problem occurs, please change APP_DEBUG mode to true in .env file so you can see the errors.
- For the production once everything is done successfully set APP_ENV=production APP_DEBUG=false

Thank You

This information would help you to customize understand application better

Once again thank you so much for purchasing this product. I would be glad to help you if you have any questions relating to this product. No guarantees, but I will do my best to assist.

We are small team of Mobile and Web Designer & Developers, here are some of the Great tools and technologies we use day2day for the development: HTML5, CSS3, jQuery, PHP, Laravel, Flutter etc.

We also build iOS & Android Application.

If you need any Customization Work / Support on this Product or having any project for us. Please feel free to email us at <u>contact@livelyworks.net</u>

Thank You & Good Luck



livelyworks.net | <u>contact@livelyworks.net</u> | @livelyworks | https://github.com/livelyworks